Ball Valves



PRICING

Suitable for Oil-Free air handling to 25 psi, not for distribution of compressed air or gas

Due to Material Cost Variations, Prices Subject to Change. Check On-line Catalog @ www.spearsmfg.com

True Union 2000 Industrial Ball Valves



Socket Style



SR Threaded Style



6" Lever Handle Style

All Valves Assembled with Silicone-Free, Water Soluble Lubricant
Contact Spears® for Pricing on Custom Elastomer Seals
See Ball Valve Accessories & Repair Kits Section for Additional Options and Features

Note: Standard 6" Valve uses lockout type Lever-Style Handle for proper leverage. Non-locking T-Handle is more compact, but will increase difficulty of operation.
True Union 2000 Industrial Ball Valves have Built-in Handle Lockouts (except 6" T-Handle Option)

Pressure Rating @ 73°F (23°C), Water

1/2" - 4"	235 psi
6" - 8"	150 psi
All Flanged	150 psi

Maximum Service Temperature
PVC = 140°F (60°C)
CPVC = 200°F (93°C)
Temperature/Pressure De-ratings Apply
Rated for Vacuum Service

PVC Industrial

Size	EPDM	FKM	Std Pk	Mstr Pk	Prod Code
Threaded & Socket Ends					
1/2	1829-005 **49.69**	1839-005 **55.27**	1	18	600
3/4	1829-007 **58.80**	1839-007 **65.41**	1	18	600
1	1829-010 **70.02**	1839-010 **77.99**	1	12	600
1-1/4	1829-012 **96.86**	1839-012 **123.64**	1	8	600
1-1/2	1829-015 **116.67**	1839-015 **129.52**	1	8	600
2	1829-020 **153.96**	1839-020 **169.54**	1	4	600
Socket Ends					
2-1/2	1822-025 **295.95**	1832-025 **401.01**	1	0	601
3	1822-030 **390.18**	1832-030 **433.54**	1	0	601
4	1822-040 **659.24**	1832-040 **732.49**	1	0	601
6	1822-060 **1424.09**	1832-060 **1580.38**	1	0	612
8	1822-080 **1894.05**	1832-080 **2101.91**	1	0	612
8" Venturied valves are 6" ball valves fitted with 6x8 end connector adapters.					
Threaded Ends					
2-1/2	1821-025 **295.95**	1831-025 **401.01**	1	0	601
3	1821-030 **390.18**	1831-030 **433.54**	1	0	601
4	1821-040 **659.24**	1831-040 **732.49**	1	0	601
6	1821-060 **1424.09**	1831-060 **1580.38**	1	0	612
SR Threaded Ends					
1/2	1821-005SR **50.75**	1831-005SR **56.36**	1	18	600
3/4	1821-007SR **61.36**	1831-007SR **68.00**	1	18	600
1	1821-010SR **72.59**	1831-010SR **80.56**	1	12	600
1-1/4	1821-012SR **104.58**	1831-012SR **131.37**	1	8	600
1-1/2	1821-015SR **124.98**	1831-015SR **137.82**	1	8	600
2	1821-020SR **162.95**	1831-020SR **178.36**	1	4	600

PVC Industrial (continued)

Size	EPDM	FKM	Std Pk	Mstr Pk	Prod Code
SR Threaded Ends					
2-1/2	1821-025SR **320.13**	1831-025SR **425.16**	1	0	601
3	1821-030SR **414.37**	1831-030SR **457.72**	1	0	601
4	1821-040SR **687.47**	1831-040SR **760.73**	1	0	601
6	1821-060SR **1464.37**	1831-060SR **1620.63**	1	0	612
Spigot Ends					
1/2	1827-005 **49.69**	1837-005 **55.27**	1	18	600
3/4	1827-007 **58.80**	1837-007 **65.41**	1	18	600
1	1827-010 **70.02**	1837-010 **77.99**	1	12	600
1-1/4	1827-012 **96.86**	1837-012 **123.64**	1	8	600
1-1/2	1827-015 **116.67**	1837-015 **129.52**	1	8	600
2	1827-020 **153.96**	1837-020 **169.54**	1	4	600
2-1/2	1827-025 **295.95**	1837-025 **401.01**	1	0	601
3	1827-030 **390.18**	1837-030 **433.54**	1	0	601
4	1827-040 **659.24**	1837-040 **732.49**	1	0	601
6	1827-060 **1424.09**	1837-060 **1580.38**	1	0	612
Flanged Ends					
1/2	1823-005 **71.08**	1833-005 **75.81**	1	8	600
3/4	1823-007 **90.04**	1833-007 **97.95**	1	8	600
1	1823-010 **108.98**	1833-010 **117.21**	1	8	600
1-1/4	1823-012 **127.97**	1833-012 **142.17**	1	8	600
1-1/2	1823-015 **161.16**	1833-015 **175.36**	1	4	600
2	1823-020 **256.61**	1833-020 **272.17**	1	0	600
2-1/2	1823-025 **473.91**	1833-025 **481.75**	1	0	601
3	1823-030 **523.81**	1833-030 **650.35**	1	0	601

True Union 2000 Industrial Ball Valves

PVC Industrial (continued)

Size	EPDM	FKM	Std Pk	Mstr Pk	Prod Code
Flanged Ends					
4	1823-040 **1053.20**	1833-040 **1220.83**	1	0	601
6	1823-060 **2242.47**	1833-060 **2600.11**	1	0	612
8	1823-080 **2982.48**	1833-080 **3458.14**	1	0	612

8" Venturied valves are 6" ball valves fitted with 6x8 end connector adapters.

PVC 6" Industrial T-Handle Valve Option (Non–Locking) NOTICE: T-Handle is more compact, but will greatly increase difficulty of operation.

Size	EPDM	FKM	Std Pk	Mstr Pk	Prod Code
Socket Ends					
6	18226-060 **1424.09**	18326-060 **1580.38**	1	0	612
Threaded Ends					
6	18216-060 **1424.09**	18316-060 **1580.38**	1	0	612
SR Threaded Ends					
6	18216-060SR **1464.37**	18316-060SR **1620.63**	1	0	612
Flanged Ends					
6	18236-060 **2242.47**	18336-060 **2600.11**	1	0	612

CPVC Industrial

Size	EPDM	FKM	Std Pk	Mstr Pk	Prod Code
Threaded & Socket Ends					
1/2	1829-005C **65.63**	1839-005C **72.93**	1	18	602
3/4	1829-007C **82.65**	1839-007C **91.86**	1	18	602
1	1829-010C **98.40**	1839-010C **109.33**	1	12	602
1-1/4	1829-012C **156.43**	1839-012C **173.86**	1	8	602
1-1/2	1829-015C **165.21**	1839-015C **183.57**	1	8	602
2	1829-020C **220.95**	1839-020C **254.00**	1	4	602
Socket Ends					
2-1/2	1822-025C **495.39**	1832-025C **550.40**	1	0	603
3	1822-030C **579.22**	1832-030C **643.63**	1	0	603
4	1822-040C **1049.59**	1832-040C **1166.19**	1	0	603
6	1822-060C **2234.41**	1832-060C **2482.51**	1	0	613
8	1822-080C **2971.79**	1832-080C **3301.76**	1	0	613

8" Venturied valves are 6" ball valves fitted with 6x8 end connector adapters.

Threaded Ends					
2-1/2	1821-025C **495.39**	1831-025C **550.40**	1	0	603
3	1821-030C **579.22**	1831-030C **643.63**	1	0	603
4	1821-040C **1049.59**	1831-040C **1166.19**	1	0	603
6	1821-060C **2234.41**	1831-060C **2482.51**	1	0	613
SR Threaded Ends					
1/2	1821-005CSR **66.68**	1831-005CSR **73.99**	1	18	602
3/4	1821-007CSR **85.23**	1831-007CSR **94.43**	1	18	602
1	1821-010CSR **100.98**	1831-010CSR **111.88**	1	12	602

CPVC Industrial (continued)

Size	EPDM	FKM	Std Pk	Mstr Pk	Prod Code
SR Threaded Ends					
1-1/4	1821-012CSR **164.17**	1831-012CSR **181.60**	1	8	602
1-1/2	1821-015CSR **173.53**	1831-015CSR **191.85**	1	8	602
2	1821-020CSR **229.95**	1831-020CSR **263.00**	1	4	602
2-1/2	1821-025CSR **519.58**	1831-025CSR **574.58**	1	0	603
3	1821-030CSR **603.40**	1831-030CSR **667.80**	1	0	603
4	1821-040CSR **1077.80**	1831-040CSR **1194.44**	1	0	603
6	1821-060CSR **2295.64**	1831-060CSR **2543.73**	1	0	613
Spigot Ends					
1/2	1827-005C **65.63**	1837-005C **72.93**	1	18	602
3/4	1827-007C **82.65**	1837-007C **91.86**	1	18	602
1	1827-010C **98.40**	1837-010C **109.33**	1	12	602
1-1/4	1827-012C **156.43**	1837-012C **173.86**	1	8	602
1-1/2	1827-015C **165.21**	1837-015C **183.57**	1	8	602
2	1827-020C **220.95**	1837-020C **254.00**	1	4	602
2-1/2	1827-025C **495.39**	1837-025C **550.40**	1	0	603
3	1827-030C **579.22**	1837-030C **643.63**	1	0	603
4	1827-040C **1049.59**	1837-040C **1166.19**	1	0	603
6	1827-060C **2234.41**	1837-060C **2482.51**	1	0	613
Flanged Ends					
1/2	1823-005C **111.36**	1833-005C **113.76**	1	8	602
3/4	1823-007C **136.51**	1833-007C **142.17**	1	8	602
1	1823-010C **156.26**	1833-010C **165.88**	1	8	602
1-1/4	1823-012C **233.48**	1833-012C **241.68**	1	8	602
1-1/2	1823-015C **256.82**	1833-015C **265.38**	1	4	602
2	1823-020C **357.38**	1833-020C **425.63**	1	0	602
2-1/2	1823-025C **667.02**	1833-025C **800.64**	1	0	603
3	1823-030C **975.47**	1833-030C **997.72**	1	0	603
4	1823-040C **1710.82**	1833-040C **1779.24**	1	0	603
6	1823-060C **3644.03**	1833-060C **3789.02**	1	0	613
8	1823-080C **4846.55**	1833-080C **5039.38**	1	0	613

8" Venturied valves are 6" ball valves fitted with 6x8 end connector adapters.

CPVC 6" Industrial T-Handle Valve Option (Non-Locking) NOTICE: T-Handle is more compact, but will greatly increase difficulty of operation.

Size	EPDM	FKM	Std Pk	Mstr Pk	Prod Code
Socket Ends					
6	18226-060C **2234.41**	18326-060C **2482.51**	1	0	613
Threaded Ends					
6	18216-060C **2234.41**	18316-060C **2482.51**	1	0	613

Suitable for Oil-Free air handling to 25 psi, not for distribution of compressed air or gas

Due to Material Cost Variations, Prices Subject to Change. Check On-line Catalog @ www.spearsmfg.com

True Union 2000 Industrial Ball Valves

CPVC 6" Industrial T-Handle Valve Option (Non-Locking) NOTICE: T-Handle is more compact, but will greatly increase difficulty of operation.

Size	EPDM	FKM	Std Pk	Mstr Pk	Prod Code
SR Threaded Ends					
6	18216-060CSR **2295.64**	18316-060CSR **2543.73**	1	0	613
Flanged Ends					
6	18236-060C **3644.03**	18336-060C **3789.02**	1	0	613

True Union 2000 Industrial Vented/Bleach Ball Valves



Pressure Rating @ 73°F (23°C), Water

1/2" - 4"	235 psi
6"	150 psi
Flanged	150 psi

Same True Union 2000 Industrial Ball Valve with Special Ball Vent Design for Sodium Hypochlorite (Bleach) and other Chemical Applications where entrapped fluids may form caustic crystalline residues and pressure build up from gases developed. Valve has a 1/8" vent hole in ball to equalize internal fluid pressures. Install valve with ball vent on the pressure (upstream) side when in closed position.

All Valves assembled with Silicone-Free, Water Soluble Lubricant

Contact Spears® for Pricing & Availability on Custom Elastomer Seals. See Ball Valve Accessories & Repair Kits Section for Additional Options and Features

PVC True Union 2000 Industrial Vented/Bleach Ball Valves

Size	EPDM	FKM	Std Pk	Mstr Pk	Prod Code
Threaded & Socket Ends					
1/2	1829V-005 **58.45**	1839V-005 **65.06**	1	18	600
3/4	1829V-007 **69.17**	1839V-007 **76.94**	1	18	600
1	1829V-010 **82.39**	1839V-010 **91.75**	1	12	600
1-1/4	1829V-012 **113.97**	1839V-012 **145.45**	1	8	600
1-1/2	1829V-015 **137.25**	1839V-015 **152.38**	1	8	600
2	1829V-020 **181.12**	1839V-020 **199.46**	1	4	600
Socket Ends					
2-1/2	1822V-025 **348.17**	1832V-025 **471.76**	1	0	601
3	1822V-030 **390.18**	1832V-030 **510.03**	1	0	601
4	1822V-040 **659.24**	1832V-040 **861.75**	1	0	601
6	1822V-060 **1675.42**	1832V-060 **1975.46**	1	0	612
SR Threaded Ends					
1/2	1821V-005SR **59.72**	1831V-005SR **66.32**	1	18	600
3/4	1821V-007SR **72.18**	1831V-007SR **79.99**	1	18	600
1	1821V-010SR **85.41**	1831V-010SR **94.79**	1	12	600
1-1/4	1821V-012SR **123.04**	1831V-012SR **154.54**	1	8	600
1-1/2	1821V-015SR **147.04**	1831V-015SR **162.16**	1	8	600
2	1821V-020SR **191.71**	1831V-020SR **209.82**	1	4	600

PVC True Union 2000 Industrial Vented/Bleach Ball Valves (continued)

Size	EPDM	FKM	Std Pk	Mstr Pk	Prod Code
SR Threaded Ends					
2-1/2	1821V-025SR **376.62**	1831V-025SR **500.19**	1	0	601
3	1821V-030SR **487.51**	1831V-030SR **538.48**	1	0	601
4	1821V-040SR **808.78**	1831V-040SR **894.98**	1	0	601
Flanged Ends					
1/2	1823V-005 **83.76**	1833V-005 **89.47**	1	8	600
3/4	1823V-007 **105.95**	1833V-007 **115.22**	1	8	600
1	1823V-010 **128.21**	1833V-010 **137.87**	1	8	600
1-1/4	1823V-012 **150.56**	1833V-012 **206.28**	1	8	600
1-1/2	1823V-015 **189.60**	1833V-015 **206.28**	1	4	600
2	1823V-020 **301.89**	1833V-020 **320.20**	1	0	600
2-1/2	1823V-025 **557.54**	1833V-025 **566.75**	1	0	601
3	1823V-030 **616.24**	1833V-030 **765.09**	1	0	601
4	1823V-040 **1239.06**	1833V-040 **1436.28**	1	0	601
6	1823V-060 **2638.22**	1833V-060 **3058.95**	1	0	612

CPVC True Union 2000 Industrial Vented/Bleach Ball Valves

Size	EPDM	FKM	Std Pk	Mstr Pk	Prod Code
Threaded & Socket Ends					
1/2	1829V-005C **77.20**	1839V-005C **85.79**	1	18	602

CPVC True Union 2000 Industrial Vented/Bleach Ball Valves (continued)

Size	EPDM	FKM	Std Pk	Mstr Pk	Prod Code
Threaded & Socket Ends					
3/4	1829V-007C **97.23**	1839V-007C **108.07**	1	18	602
1	1829V-010C **115.77**	1839V-010C **128.62**	1	12	602
1-1/4	1829V-012C **184.04**	1839V-012C **204.57**	1	8	602
1-1/2	1829V-015C **194.37**	1839V-015C **215.96**	1	8	602
2	1829V-020C **259.96**	1839V-020C **298.81**	1	4	602
Socket Ends					
2-1/2	1822V-025C **582.81**	1832V-025C **647.51**	1	0	603
3	1822V-030C **681.44**	1832V-030C **757.19**	1	0	603
4	1822V-040C **1234.79**	1832V-040C **1372.00**	1	0	603
6	1822V-060C **2628.74**	1832V-060C **2920.60**	1	0	613
SR Threaded Ends					
1/2	1821V-005CSR **78.43**	1831V-005CSR **87.05**	1	18	602
3/4	1821V-007CSR **100.28**	1831V-007CSR **111.07**	1	18	602
1	1821V-010CSR **118.77**	1831V-010CSR **131.62**	1	12	602
1-1/4	1821V-012CSR **193.12**	1831V-012CSR **213.65**	1	8	602
1-1/2	1821V-015CSR **204.15**	1831V-015CSR **225.73**	1	8	602
2	1821V-020CSR **270.54**	1831V-020CSR **309.41**	1	4	602
2-1/2	1821V-025CSR **611.26**	1831V-025CSR **675.97**	1	0	603
3	1821V-030CSR **709.89**	1831V-030CSR **785.65**	1	0	603
4	1821V-040CSR **1268.01**	1831V-040CSR **1405.23**	1	0	603
Flanged Ends					
1/2	1823V-005C **131.00**	1833V-005C **133.82**	1	8	602
3/4	1823V-007C **160.59**	1833V-007C **167.29**	1	8	602
1	1823V-010C **183.84**	1833V-010C **195.16**	1	8	602
1-1/4	1823V-012C **274.69**	1833V-012C **284.33**	1	8	602
1-1/2	1823V-015C **302.14**	1833V-015C **312.22**	1	4	602
2	1823V-020C **420.45**	1833V-020C **500.73**	1	0	602
2-1/2	1823V-025C **784.74**	1833V-025C **941.93**	1	0	603
3	1823V-030C **1147.61**	1833V-030C **1173.76**	1	0	603
4	1823V-040C **2093.21**	1833V-040C **2093.23**	1	0	603
6	1823V-060C **4457.67**	1833V-060C **4457.67**	1	0	613

Suitable for Oil-Free air handling to 25 psi, not for distribution of compressed air or gas Spears® Manufacturing Company
Due to Material Cost Variations, Prices Subject to Change. Check On-line Catalog @ www.spearsmfg.com

True Union 2000 Industrial 3-Way Ball Valves

Pressure Rating @ 73°F (23°C), Water


1/2" - 2"	235 psi
2-1/2" - 4"	150 psi
Flanged	150 psi

Maximum Service Temperature
PVC = 140°F (60°C)
CPVC = 200°F (93°C)
Temperature/Pressure De-ratings Apply

Vertical 3-Way or Horizontal Diverter Design
(No Branch Shut-off)
All Standard Carton Quantities are one
All Valves assembled with Silicone-Free,
Water Soluble Lubricant

See Ball Valve Accessories & Repair Kits Section for Additional Options and Features

Ball Port Options



Ball port options viewed from top of valve



Horizontal Diverter Valve



Vertical 3-Way Valve

PVC Horizontal Diverter Ball Valves

Material		EPDM				FKM				Prod Code
Joint		Socket	SR Thread	Spigot	Flanged	Socket	SR Thread	Spigot	Flanged	
Size	Ball Port	Part # Price Each	Part # Price Each	Part # Price Each	Part # Price Each	Part # Price Each	Part # Price Each	Part # Price Each	Part # Price Each	
1/2	L-Port	5022L1-005 **102.54**	5021L1-005SR **105.85**	5027L1-005 **102.54**	5023L1-005 **209.43**	5032L1-005 **111.22**	5031L1-005SR **116.24**	5037L1-005 **111.22**	5033L1-005 **218.79**	615
	T-Port	5022T1-005 **102.54**	5021T1-005SR **105.85**	5027T1-005 **102.54**	5023T1-005 **209.43**	5032T1-005 **111.22**	5031T1-005SR **116.24**	5037T1-005 **111.22**	5033T1-005 **218.79**	615
3/4	L-Port	5022L1-007 **122.29**	5021L1-007SR **126.36**	5027L1-007 **122.29**	5023L1-007 **219.13**	5032L1-007 **131.63**	5031L1-007SR **135.73**	5037L1-007 **131.63**	5033L1-007 **231.24**	615
	T-Port	5022T1-007 **122.29**	5021T1-007SR **126.36**	5027T1-007 **122.29**	5023T1-007 **219.13**	5032T1-007 **131.63**	5031T1-007SR **135.73**	5037T1-007 **131.63**	5033T1-007 **231.24**	615
1	L-Port	5022L1-010 **148.27**	5021L1-010SR **152.26**	5027L1-010 **148.27**	5023L1-010 **312.32**	5032L1-010 **163.35**	5031L1-010SR **167.40**	5037L1-010 **163.35**	5033L1-010 **341.42**	615
	T-Port	5022T1-010 **148.27**	5021T1-010SR **152.26**	5027T1-010 **148.27**	5023T1-010 **312.32**	5032T1-010 **163.35**	5031T1-010SR **167.40**	5037T1-010 **163.35**	5033T1-010 **341.42**	615
1-1/4	L-Port	5022L1-012 **171.86**	5021L1-012SR **179.63**	5027L1-012 **171.86**	5023L1-012 **590.69**	5032L1-012 **193.32**	5031L1-012SR **201.44**	5037L1-012 **193.32**	5033L1-012 **625.67**	615
	T-Port	5022T1-012 **171.86**	5021T1-012SR **179.63**	5027T1-012 **171.86**	5023T1-012 **590.69**	5032T1-012 **193.32**	5031T1-012SR **201.44**	5037T1-012 **193.32**	5033T1-012 **625.67**	615
1-1/2	L-Port	5022L1-015 **200.95**	5021L1-015SR **213.94**	5027L1-015 **200.95**	5023L1-015 **608.53**	5032L1-015 **220.00**	5031L1-015SR **232.98**	5037L1-015 **220.00**	5033L1-015 **636.42**	615
	T-Port	5022T1-015 **200.95**	5021T1-015SR **213.94**	5027T1-015 **200.95**	5023T1-015 **608.53**	5032T1-015 **220.00**	5031T1-015SR **232.98**	5037T1-015 **220.00**	5033T1-015 **636.42**	615
2	L-Port	5022L1-020 **246.51**	5021L1-020SR **259.48**	5027L1-020 **246.51**	5023L1-020 **790.23**	5032L1-020 **287.39**	5031L1-020SR **301.48**	5037L1-020 **287.39**	5033L1-020 **829.91**	615
	T-Port	5022T1-020 **246.51**	5021T1-020SR **259.48**	5027T1-020 **246.51**	5023T1-020 **790.23**	5032T1-020 **287.39**	5031T1-020SR **301.48**	5037T1-020 **287.39**	5033T1-020 **829.91**	615
2-1/2	L-Port	5022L1-025 **831.12**	5021L1-025SR **867.49**	5027L1-025 **831.12**	5023L1-025 **1387.52**	5032L1-025 **883.79**	5031L1-025SR **920.15**	5037L1-025 **883.79**	5033L1-025 **1626.02**	615
	T-Port	5022T1-025 **831.12**	5021T1-025SR **867.49**	5027T1-025 **831.12**	5023T1-025 **1387.52**	5032T1-025 **883.79**	5031T1-025SR **920.15**	5037T1-025 **883.79**	5033T1-025 **1626.02**	615
3	L-Port	5022L1-030 **848.09**	5021L1-030SR **886.21**	5027L1-030 **848.09**	5023L1-030 **1405.72**	5032L1-030 **897.64**	5031L1-030SR **934.00**	5037L1-030 **897.64**	5033L1-030 **1633.48**	615
	T-Port	5022T1-030 **848.09**	5021T1-030SR **886.21**	5027T1-030 **848.09**	5023T1-030 **1405.72**	5032T1-030 **897.64**	5031T1-030SR **934.00**	5037T1-030 **897.64**	5033T1-030 **1633.48**	615
4	L-Port	5022L1-040 **1535.97**	5021L1-040SR **1577.56**	5027L1-040 **1535.97**	5023L1-040 **2042.29**	5032L1-040 **1553.29**	5031L1-040SR **1594.87**	5037L1-040 **1553.29**	5033L1-040 **2232.33**	615
	T-Port	5022T1-040 **1535.97**	5021T1-040SR **1577.56**	5027T1-040 **1535.97**	5023T1-040 **2042.29**	5032T1-040 **1553.29**	5031T1-040SR **1594.87**	5037T1-040 **1553.29**	5033T1-040 **2232.33**	615

True Union 2000 Industrial 3-Way Ball Valves

CPVC Horizontal Diverter Ball Valves

Material		EPDM				FKM				Prod Code
Joint		Socket	SR Thread	Spigot	Flanged	Socket	SR Thread	Spigot	Flanged	
Size	Ball Port	Part # Price Each	Part # Price Each	Part # Price Each	Part # Price Each	Part # Price Each	Part # Price Each	Part # Price Each	Part # Price Each	
1/2	L-Port	5022L1-005C 157.82	5021L1-005CSR 162.83	5027L1-005C 157.82	5023L1-005C 322.20	5032L1-005C 170.98	5031L1-005CSR 178.77	5037L1-005C 170.98	5033L1-005C 336.56	617
	T-Port	5022T1-005C 157.82	5021T1-005CSR 162.83	5027T1-005C 157.82	5023T1-005C 322.20	5032T1-005C 170.98	5031T1-005CSR 178.77	5037T1-005C 170.98	5033T1-005C 336.56	617
3/4	L-Port	5022L1-007C 188.12	5021L1-007CSR 194.37	5027L1-007C 188.12	5023L1-007C 337.09	5032L1-007C 202.49	5031L1-007CSR 208.73	5037L1-007C 202.49	5033L1-007C 355.80	617
	T-Port	5022T1-007C 188.12	5021T1-007CSR 194.37	5027T1-007C 188.12	5023T1-007C 337.09	5032T1-007C 202.49	5031T1-007CSR 208.73	5037T1-007C 202.49	5033T1-007C 355.80	617
1	L-Port	5022L1-010C 228.12	5021L1-010CSR 234.21	5027L1-010C 228.12	5023L1-010C 480.34	5032L1-010C 251.35	5031L1-010CSR 257.40	5037L1-010C 251.35	5033L1-010C 525.21	617
	T-Port	5022T1-010C 228.12	5021T1-010CSR 234.21	5027T1-010C 228.12	5023T1-010C 480.34	5032T1-010C 251.35	5031T1-010CSR 257.40	5037T1-010C 251.35	5033T1-010C 525.21	617
1-1/4	L-Port	5022L1-012C 264.35	5021L1-012CSR 276.29	5027L1-012C 264.35	5023L1-012C 908.74	5032L1-012C 296.38	5031L1-012CSR 309.89	5037L1-012C 296.38	5033L1-012C 962.62	617
	T-Port	5022T1-012C 264.35	5021T1-012CSR 276.29	5027T1-012C 264.35	5023T1-012C 908.74	5032T1-012C 296.38	5031T1-012CSR 309.89	5037T1-012C 296.38	5033T1-012C 962.62	617
1-1/2	L-Port	5022L1-015C 309.22	5021L1-015CSR 329.13	5027L1-015C 309.22	5023L1-015C 936.25	5032L1-015C 338.44	5031L1-015CSR 358.39	5037L1-015C 338.44	5033L1-015C 979.05	617
	T-Port	5022T1-015C 309.22	5021T1-015CSR 329.13	5027T1-015C 309.22	5023T1-015C 936.25	5032T1-015C 338.44	5031T1-015CSR 358.39	5037T1-015C 338.44	5033T1-015C 979.05	617
2	L-Port	5022L1-020C 379.35	5021L1-020CSR 399.20	5027L1-020C 379.35	5023L1-020C 1215.68	5032L1-020C 442.12	5031L1-020CSR 463.73	5037L1-020C 442.12	5033L1-020C 1276.82	617
	T-Port	5022T1-020C 379.35	5021T1-020CSR 399.20	5027T1-020C 379.35	5023T1-020C 1215.68	5032T1-020C 442.12	5031T1-020CSR 463.73	5037T1-020C 442.12	5033T1-020C 1276.82	617
2-1/2	L-Port	5022L1-025C 1278.73	5021L1-025CSR 1334.51	5027L1-025C 1278.73	5023L1-025C 2134.61	5032L1-025C 1359.63	5031L1-025CSR 1415.62	5037L1-025C 1359.63	5033L1-025C 2501.60	617
	T-Port	5022T1-025C 1278.73	5021T1-025CSR 1334.51	5027T1-025C 1278.73	5023T1-025C 2134.61	5032T1-025C 1359.63	5031T1-025CSR 1415.62	5037T1-025C 1359.63	5033T1-025C 2501.60	617
3	L-Port	5022L1-030C 1304.72	5021L1-030CSR 1363.43	5027L1-030C 1304.72	5023L1-030C 2163.38	5032L1-030C 1380.93	5031L1-030CSR 1436.91	5037L1-030C 1380.93	5033L1-030C 2513.13	617
	T-Port	5022T1-030C 1304.72	5021T1-030CSR 1363.43	5027T1-030C 1304.72	5023T1-030C 2163.38	5032T1-030C 1380.93	5031T1-030CSR 1436.91	5037T1-030C 1380.93	5033T1-030C 2513.13	617
4	L-Port	5022L1-040C 2362.94	5021L1-040CSR 2426.84	5027L1-040C 2362.94	5023L1-040C 3142.08	5032L1-040C 2389.62	5031L1-040CSR 2453.65	5037L1-040C 2389.62	5033L1-040C 3434.33	617
	T-Port	5022T1-040C 2362.94	5021T1-040CSR 2426.84	5027T1-040C 2362.94	5023T1-040C 3142.08	5032T1-040C 2389.62	5031T1-040CSR 2453.65	5037T1-040C 2389.62	5033T1-040C 3434.33	617

PVC Vertical 3-Way Ball Valves

Material		EPDM				FKM				Prod Code
Joint		Socket	SR Thread	Spigot	Flanged	Socket	SR Thread	Spigot	Flanged	
Size	Ball Port	Part # Price Each	Part # Price Each	Part # Price Each	Part # Price Each	Part # Price Each	Part # Price Each	Part # Price Each	Part # Price Each	
1/2	L-Port	4722L1-005 102.03	4721L1-005SR 103.65	4727L1-005 102.03	4723L1-005 210.83	4732L1-005 110.51	4731L1-005SR 112.15	4737L1-005 110.51	4733L1-005 218.43	615
	Double L-Port	4722L2-005 203.20	4721L2-005SR 204.83	4727L2-005 203.20	4723L2-005 311.99	4732L2-005 211.68	4731L2-005SR 213.33	4737L2-005 211.68	4733L2-005 319.60	615
	Triple L-Port	4722L3-005 203.20	4721L3-005SR 204.83	4727L3-005 203.20	4723L3-005 311.99	4732L3-005 211.68	4731L3-005SR 213.33	4737L3-005 211.68	4733L3-005 319.60	615
	T-Port	4722T1-005 102.03	4721T1-005SR 103.65	4727T1-005 102.03	4723T1-005 210.83	4732T1-005 110.51	4731T1-005SR 112.15	4737T1-005 110.51	4733T1-005 218.43	615
3/4	L-Port	4722L1-007 119.68	4721L1-007SR 123.78	4727L1-007 119.68	4723L1-007 221.38	4732L1-007 130.43	4731L1-007SR 134.49	4737L1-007 130.43	4733L1-007 230.74	615
	Double L-Port	4722L2-007 220.86	4721L2-007SR 224.92	4727L2-007 220.86	4723L2-007 322.56	4732L2-007 231.60	4731L2-007SR 235.66	4737L2-007 231.60	4733L2-007 331.89	615
	Triple L-Port	4722L3-007 220.86	4721L3-007SR 224.92	4727L3-007 220.86	4723L3-007 322.56	4732L3-007 231.60	4731L3-007SR 235.66	4737L3-007 231.60	4733L3-007 331.89	615
	T-Port	4722T1-007 119.68	4721T1-007SR 123.78	4727T1-007 119.68	4723T1-007 221.38	4732T1-007 130.43	4731T1-007SR 134.49	4737T1-007 130.43	4733T1-007 230.74	615
1	L-Port	4722L1-010 145.49	4721L1-010SR 149.58	4727L1-010 145.49	4723L1-010 315.78	4732L1-010 161.98	4731L1-010SR 166.03	4737L1-010 161.98	4733L1-010 341.77	615
	Double L-Port	4722L2-010 246.69	4721L2-010SR 250.76	4727L2-010 246.69	4723L2-010 416.96	4732L2-010 263.12	4731L2-010SR 267.20	4737L2-010 263.12	4733L2-010 442.94	615
	Triple L-Port	4722L3-010 246.69	4721L3-010SR 250.76	4727L3-010 246.69	4723L3-010 416.96	4732L3-010 263.12	4731L3-010SR 267.20	4737L3-010 263.12	4733L3-010 442.94	615
	T-Port	4722T1-010 145.49	4721T1-010SR 149.58	4727T1-010 145.49	4723T1-010 315.78	4732T1-010 161.98	4731T1-010SR 166.03	4737T1-010 161.98	4733T1-010 341.77	615
1-1/4	L-Port	4722L1-012 175.99	4721L1-012SR 184.15	4727L1-012 175.99	4723L1-012 595.20	4732L1-012 207.36	4731L1-012SR 215.49	4737L1-012 207.36	4733L1-012 629.48	615
	Double L-Port	4722L2-012 277.17	4721L2-012SR 285.31	4727L2-012 277.17	4723L2-012 696.36	4732L2-012 308.53	4731L2-012SR 316.65	4737L2-012 308.53	4733L2-012 730.66	615
	Triple L-Port	4722L3-012 277.17	4721L3-012SR 285.31	4727L3-012 277.17	4723L3-012 696.36	4732L3-012 308.53	4731L3-012SR 316.65	4737L3-012 308.53	4733L3-012 730.66	615
	T-Port	4722T1-012 175.99	4721T1-012SR 184.15	4727T1-012 175.99	4723T1-012 595.20	4732T1-012 207.36	4731T1-012SR 215.49	4737T1-012 207.36	4733T1-012 629.48	615

Suitable for Oil-Free air handling to 25 psi, not for distribution of compressed air or gas

Due to Material Cost Variations, Prices Subject to Change. Check On-line Catalog @ www.spearsmfg.com

PVC Vertical 3-Way Ball Valves (continued)

Material		EPDM				FKM				Prod Code
Joint		Socket	SR Thread	Spigot	Flanged	Socket	SR Thread	Spigot	Flanged	
Size	Ball Port	Part # Price Each	Part # Price Each	Part # Price Each	Part # Price Each	Part # Price Each	Part # Price Each	Part # Price Each	Part # Price Each	
1-1/2	L-Port	4722L1-015 **203.52**	4721L1-015SR **216.54**	4727L1-015 **203.52**	4723L1-015 **617.38**	4732L1-015 **223.11**	4731L1-015SR **236.11**	4737L1-015 **223.11**	4733L1-015 **636.42**	615
	Double L-Port	4722L2-015 **304.71**	4721L2-015SR **317.68**	4727L2-015 **304.71**	4723L2-015 **718.53**	4732L2-015 **324.26**	4731L2-015SR **337.26**	4737L2-015 **324.26**	4733L2-015 **737.58**	615
	Triple L-Port	4722L3-015 **304.71**	4721L3-015SR **317.68**	4727L3-015 **304.71**	4723L3-015 **718.53**	4732L3-015 **324.26**	4731L3-015SR **337.26**	4737L3-015 **324.26**	4733L3-015 **737.58**	615
	T-Port	4722T1-015 **203.52**	4721T1-015SR **216.54**	4727T1-015 **203.52**	4723T1-015 **617.38**	4732T1-015 **223.11**	4731T1-015SR **236.11**	4737T1-015 **223.11**	4733T1-015 **636.42**	615
2	L-Port	4722L1-020 **249.61**	4721L1-020SR **263.73**	4727L1-020 **249.61**	4723L1-020 **795.60**	4732L1-020 **289.81**	4731L1-020SR **303.92**	4737L1-020 **289.81**	4733L1-020 **830.80**	615
	Double L-Port	4722L2-020 **350.76**	4721L2-020SR **364.91**	4727L2-020 **350.76**	4723L2-020 **896.78**	4732L2-020 **390.98**	4731L2-020SR **405.07**	4737L2-020 **390.98**	4733L2-020 **931.93**	615
	Triple L-Port	4722L3-020 **350.76**	4721L3-020SR **364.91**	4727L3-020 **350.76**	4723L3-020 **896.78**	4732L3-020 **390.98**	4731L3-020SR **405.07**	4737L3-020 **390.98**	4733L3-020 **931.93**	615
	T-Port	4722T1-020 **249.61**	4721T1-020SR **263.73**	4727T1-020 **249.61**	4723T1-020 **795.60**	4732T1-020 **289.81**	4731T1-020SR **303.92**	4737T1-020 **289.81**	4733T1-020 **830.80**	615
2-1/2	L-Port	4722L1-025 **877.91**	4721L1-025SR **914.28**	4727L1-025 **877.91**	4723L1-025 **1393.58**	4732L1-025 **887.78**	4731L1-025SR **924.17**	4737L1-025 **887.78**	4733L1-025 **1624.14**	615
	Double L-Port	4722L2-025 **979.05**	4721L2-025SR **1015.43**	4727L2-025 **979.05**	4723L2-025 **1494.75**	4732L2-025 **988.94**	4731L2-025SR **1025.31**	4737L2-025 **988.94**	4733L2-025 **1725.31**	615
	Triple L-Port	4722L3-025 **979.05**	4721L3-025SR **1015.43**	4727L3-025 **979.05**	4723L3-025 **1494.75**	4732L3-025 **988.94**	4731L3-025SR **1025.31**	4737L3-025 **988.94**	4733L3-025 **1725.31**	615
	T-Port	4722T1-025 **877.91**	4721T1-025SR **914.28**	4727T1-025 **877.91**	4723T1-025 **1393.58**	4732T1-025 **887.78**	4731T1-025SR **924.17**	4737T1-025 **887.78**	4733T1-025 **1624.14**	615
3	L-Port	4722L1-030 **895.91**	4721L1-030SR **932.28**	4727L1-030 **895.91**	4723L1-030 **1412.80**	4732L1-030 **903.87**	4731L1-030SR **940.25**	4737L1-030 **903.87**	4733L1-030 **1634.89**	615
	Double L-Port	4722L2-030 **997.07**	4721L2-030SR **1033.46**	4727L2-030 **997.07**	4723L2-030 **1513.98**	4732L2-030 **1005.05**	4731L2-030SR **1041.41**	4737L2-030 **1005.05**	4733L2-030 **1736.04**	615
	Triple L-Port	4722L3-030 **997.07**	4721L3-030SR **1033.46**	4727L3-030 **997.07**	4723L3-030 **1513.98**	4732L3-030 **1005.05**	4731L3-030SR **1041.41**	4737L3-030 **1005.05**	4733L3-030 **1736.04**	615
	T-Port	4722T1-030 **895.91**	4721T1-030SR **932.28**	4727T1-030 **895.91**	4723T1-030 **1412.80**	4732T1-030 **903.87**	4731T1-030SR **940.25**	4737T1-030 **903.87**	4733T1-030 **1634.89**	615
4	L-Port	4722L1-040 **1548.61**	4721L1-040SR **1590.18**	4727L1-040 **1548.61**	4723L1-040 **2053.91**	4732L1-040 **1563.68**	4731L1-040SR **1605.25**	4737L1-040 **1563.68**	4733L1-040 **2151.25**	615
	Double L-Port	4722L2-040 **1649.80**	4721L2-040SR **1691.34**	4727L2-040 **1649.80**	4723L2-040 **2155.07**	4732L2-040 **1664.85**	4731L2-040SR **1706.43**	4737L2-040 **1664.85**	4733L2-040 **2252.42**	615
	Triple L-Port	4722L3-040 **1649.80**	4721L3-040SR **1691.34**	4727L3-040 **1649.80**	4723L3-040 **2155.07**	4732L3-040 **1664.85**	4731L3-040SR **1706.43**	4737L3-040 **1664.85**	4733L3-040 **2252.42**	615
	T-Port	4722T1-040 **1548.61**	4721T1-040SR **1590.18**	4727T1-040 **1548.61**	4723T1-040 **2053.91**	4732T1-040 **1563.68**	4731T1-040SR **1605.25**	4737T1-040 **1563.68**	4733T1-040 **2151.25**	615

CPVC Vertical 3-Way Ball Valves

Material		EPDM				FKM				Prod Code
Joint		Socket	SR Thread	Spigot	Flanged	Socket	SR Thread	Spigot	Flanged	
Size	Ball Port	Part # Price Each	Part # Price Each	Part # Price Each	Part # Price Each	Part # Price Each	Part # Price Each	Part # Price Each	Part # Price Each	
1/2	L-Port	4722L1-005C **156.94**	4721L1-005CSR **159.53**	4727L1-005C **156.94**	4723L1-005C **324.26**	4732L1-005C **169.93**	4731L1-005CSR **172.52**	4737L1-005C **169.93**	4733L1-005C **336.06**	617
	Double L-Port	4722L2-005C **312.67**	4721L2-005CSR **315.08**	4727L2-005C **312.67**	4723L2-005C **480.00**	4732L2-005C **325.66**	4731L2-005CSR **328.09**	4737L2-005C **325.66**	4733L2-005C **491.61**	617
	Triple L-Port	4722L3-005C **312.67**	4721L3-005CSR **315.08**	4727L3-005C **312.67**	4723L3-005C **480.00**	4732L3-005C **325.66**	4731L3-005CSR **328.09**	4737L3-005C **325.66**	4733L3-005C **491.61**	617
	T-Port	4722T1-005C **156.94**	4721T1-005CSR **159.53**	4727T1-005C **156.94**	4723T1-005C **324.26**	4732T1-005C **169.93**	4731T1-005CSR **172.52**	4737T1-005C **169.93**	4733T1-005C **336.06**	617
3/4	L-Port	4722L1-007C **184.15**	4721L1-007CSR **190.54**	4727L1-007C **184.15**	4723L1-007C **340.56**	4732L1-007C **200.60**	4731L1-007CSR **207.00**	4737L1-007C **200.60**	4733L1-007C **354.93**	617
	Double L-Port	4722L2-007C **339.86**	4721L2-007CSR **345.92**	4727L2-007C **339.86**	4723L2-007C **496.13**	4732L2-007C **356.32**	4731L2-007CSR **362.56**	4737L2-007C **356.32**	4733L2-007C **510.48**	617
	Triple L-Port	4722L3-007C **339.86**	4721L3-007CSR **345.92**	4727L3-007C **339.86**	4723L3-007C **496.13**	4732L3-007C **356.32**	4731L3-007CSR **362.56**	4737L3-007C **356.32**	4733L3-007C **510.48**	617
	T-Port	4722T1-007C **184.15**	4721T1-007CSR **190.54**	4727T1-007C **183.68**	4723T1-007C **340.56**	4732T1-007C **200.60**	4731T1-007CSR **207.00**	4737T1-007C **200.60**	4733T1-007C **354.93**	617
1	L-Port	4722L1-010C **223.81**	4721L1-010CSR **230.05**	4727L1-010C **223.81**	4723L1-010C **485.72**	4732L1-010C **249.27**	4731L1-010CSR **255.51**	4737L1-010C **249.27**	4733L1-010C **525.73**	617
	Double L-Port	4722L2-010C **379.52**	4721L2-010CSR **385.76**	4727L2-010C **379.52**	4723L2-010C **641.43**	4732L2-010C **404.81**	4731L2-010CSR **411.07**	4737L2-010C **404.81**	4733L2-010C **681.45**	617
	Triple L-Port	4722L3-010C **379.52**	4721L3-010CSR **385.76**	4727L3-010C **379.52**	4723L3-010C **641.43**	4732L3-010C **404.81**	4731L3-010CSR **411.07**	4737L3-010C **404.81**	4733L3-010C **681.45**	617
	T-Port	4722T1-010C **223.81**	4721T1-010CSR **230.05**	4727T1-010C **223.81**	4723T1-010C **485.72**	4732T1-010C **249.27**	4731T1-010CSR **255.51**	4737T1-010C **249.27**	4733T1-010C **525.73**	617

CPVC Vertical 3-Way Ball Valves (continued)

Material		EPDM				FKM				Prod Code
Joint		Socket	SR Thread	Spigot	Flanged	Socket	SR Thread	Spigot	Flanged	
Size	Ball Port	Part # Price Each	Part # Price Each	Part # Price Each	Part # Price Each	Part # Price Each	Part # Price Each	Part # Price Each	Part # Price Each	
1-1/4	L-Port	4722L1-012C **270.75**	4721L1-012CSR **283.21**	4727L1-012C **270.75**	4723L1-012C **915.65**	4732L1-012C **319.07**	4731L1-012CSR **331.55**	4737L1-012C **319.07**	4733L1-012C **968.48**	617
	Double L-Port	4722L2-012C **426.29**	4721L2-012CSR **438.77**	4727L2-012C **426.29**	4723L2-012C **1071.22**	4732L2-012C **474.62**	4731L2-012CSR **487.97**	4737L2-012C **474.62**	4733L2-012C **730.66**	617
	Triple L-Port	4722L3-012C **426.29**	4721L3-012CSR **438.77**	4727L3-012C **426.29**	4723L3-012C **1071.22**	4732L3-012C **474.62**	4731L3-012CSR **487.97**	4737L3-012C **474.62**	4733L3-012C **1124.04**	617
	T-Port	4722T1-012C **270.75**	4721T1-012CSR **283.21**	4727T1-012C **270.75**	4723T1-012C **915.65**	4732T1-012C **319.07**	4731T1-012CSR **331.55**	4737T1-012C **319.07**	4733T1-012C **968.48**	617
1-1/2	L-Port	4722L1-015C **313.00**	4721L1-015CSR **333.11**	4727L1-015C **313.00**	4723L1-015C **949.80**	4732L1-015C **343.15**	4731L1-015CSR **363.23**	4737L1-015C **343.15**	4733L1-015C **979.05**	617
	Double L-Port	4722L2-015C **468.76**	4721L2-015CSR **488.65**	4727L2-015C **468.76**	4723L2-015C **1105.32**	4732L2-015C **498.89**	4731L2-015CSR **558.62**	4737L2-015C **498.89**	4733L2-015C **1134.78**	617
	Triple L-Port	4722L3-015C **468.76**	4721L3-015CSR **488.65**	4727L3-015C **468.76**	4723L3-015C **1105.32**	4732L3-015C **498.89**	4731L3-015CSR **558.62**	4737L3-015C **498.89**	4733L3-015C **1134.78**	617
	T-Port	4722T1-015C **313.00**	4721T1-015CSR **333.11**	4727T1-015C **313.00**	4723T1-015C **949.80**	4732T1-015C **343.15**	4731T1-015CSR **363.23**	4737T1-015C **343.15**	4733T1-015C **979.05**	617
2	L-Port	4722L1-020C **384.04**	4721L1-020CSR **405.67**	4727L1-020C **384.04**	4723L1-020C **1223.99**	4732L1-020C **445.86**	4731L1-020CSR **467.52**	4737L1-020C **445.86**	4733L1-020C **1278.04**	617
	Double L-Port	4722L2-020C **539.61**	4721L2-020CSR **561.41**	4727L2-020C **539.61**	4723L2-020C **1332.96**	4732L2-020C **601.44**	4731L2-020CSR **623.06**	4737L2-020C **601.44**	4733L2-020C **1433.76**	617
	Triple L-Port	4722L3-020C **539.61**	4721L3-020CSR **561.41**	4727L3-020C **539.61**	4723L3-020C **1332.96**	4732L3-020C **601.44**	4731L3-020CSR **623.06**	4737L3-020C **601.44**	4733L3-020C **1433.76**	617
	T-Port	4722T1-020C **384.04**	4721T1-020CSR **405.67**	4727T1-020C **384.04**	4723T1-020C **1223.99**	4732T1-020C **445.86**	4731T1-020CSR **467.52**	4737T1-020C **445.86**	4733T1-020C **1278.04**	617
2-1/2	L-Port	4722L1-025C **1350.63**	4721L1-025CSR **1406.56**	4727L1-025C **1350.63**	4723L1-025C **2143.79**	4732L1-025C **1365.85**	4731L1-025CSR **1421.81**	4737L1-025C **1365.85**	4733L1-025C **2498.75**	617
	Double L-Port	4722L2-025C **1506.17**	4721L2-025CSR **1544.08**	4727L2-025C **1506.17**	4723L2-025C **2299.54**	4732L2-025C **1521.42**	4731L2-025CSR **1577.38**	4737L2-025C **1521.42**	4733L2-025C **2654.31**	617
	Triple L-Port	4722L3-025C **1506.17**	4721L3-025CSR **1544.08**	4727L3-025C **1506.17**	4723L3-025C **2299.54**	4732L3-025C **1521.42**	4731L3-025CSR **1577.38**	4737L3-025C **1521.42**	4733L3-025C **2654.31**	617
	T-Port	4722T1-025C **1350.63**	4721T1-025CSR **1406.56**	4727T1-025C **1350.63**	4723T1-025C **2143.79**	4732T1-025C **1365.85**	4731T1-025CSR **1421.81**	4737T1-025C **1365.85**	4733T1-025C **2498.75**	617
3	L-Port	4722L1-030C **1378.33**	4721L1-030CSR **1434.28**	4727L1-030C **1378.33**	4723L1-030C **2173.62**	4732L1-030C **1390.47**	4731L1-030CSR **1446.60**	4737L1-030C **1390.47**	4733L1-030C **2515.20**	617
	Double L-Port	4722L2-030C **1533.91**	4721L2-030CSR **1571.82**	4727L2-030C **1533.91**	4723L2-030C **2329.15**	4732L2-030C **1546.18**	4731L2-030CSR **1602.15**	4737L2-030C **1546.18**	4733L2-030C **2670.75**	617
	Triple L-Port	4722L3-030C **1533.91**	4721L3-030CSR **1571.82**	4727L3-030C **1533.91**	4723L3-030C **2329.15**	4732L3-030C **1546.18**	4731L3-030CSR **1602.15**	4737L3-030C **1546.18**	4733L3-030C **2670.75**	617
	T-Port	4722T1-030C **1378.33**	4721T1-030CSR **1434.28**	4727T1-030C **1378.33**	4723T1-030C **2173.62**	4732T1-030C **1390.47**	4731T1-030CSR **1446.60**	4737T1-030C **1390.47**	4733T1-030C **2515.20**	617
4	L-Port	4722L1-040C **2382.52**	4721L1-040CSR **2446.43**	4727L1-040C **2382.52**	4723L1-040C **3191.12**	4732L1-040C **2405.72**	4731L1-040CSR **2469.64**	4737L1-040C **2405.72**	4733L1-040C **3309.60**	617
	Double L-Port	4722L2-040C **2538.05**	4721L2-040CSR **2601.98**	4727L2-040C **2538.05**	4723L2-040C **3315.47**	4732L2-040C **2561.27**	4731L2-040CSR **2625.20**	4737L2-040C **2561.27**	4733L2-040C **3465.15**	617
	Triple L-Port	4722L3-040C **2538.05**	4721L3-040CSR **2601.98**	4727L3-040C **2538.05**	4723L3-040C **3315.47**	4732L3-040C **2561.27**	4731L3-040CSR **2625.20**	4737L3-040C **2561.27**	4733L3-040C **3465.15**	617
	T-Port	4722T1-040C **2382.52**	4721T1-040CSR **2446.43**	4727T1-040C **2382.52**	4723T1-040C **3191.12**	4732T1-040C **2405.72**	4731T1-040CSR **2469.64**	4737T1-040C **2405.72**	4733T1-040C **3309.60**	617

Suitable for Oil-Free air handling to 25 psi, not for distribution of compressed air or gas

Due to Material Cost Variations, Prices Subject to Change. Check On-line Catalog @ www.spearsmfg.com

Valves

Tee-Style "Zero Dead-Leg" Ball Valves

Valves are produced to order in Ball Valve sizes 1/2" – 2".
Tee Valves can be custom produced in any standard Tee and Valve size combination.

The Tee Valve is assembled with socket end connector.
Tee Valves are a non-stock configuration.
All orders are non-cancelable, non-returnable.



Pressure Rating @ 73°F (23°C), Water
Valve Sizes 1/2" - 2" (20mm - 63mm) = 235 psi
Maximum Service Temperature
PVC = 140°F (60°C)
CPVC = 200°F (93°C)
Temperature/Pressure De-ratings Apply

PVC

Size	EPDM	FKM	Std Pk	Mstr Pk	Prod Code
Mainline Socket Tee x Valve Socket/Fipt					
1/2	182901-005 **163.19**	183901-005 **175.80**	1	12	263
3/4	182901-007 **178.35**	183901-007 **192.79**	1	8	263
1	182901-010 **181.71**	183901-010 **203.39**	1	8	263
2	182901-020 **301.16**	183901-020 **351.61**	1	0	263
3/4X1/2	182901-101 **165.91**	183901-101 **178.48**	1	12	263
1X1/2	182901-130 **171.36**	183901-130 **183.99**	1	8	263
1X3/4	182901-131 **181.71**	183901-131 **203.39**	1	8	263
1-1/4X1/2	182901-166 **180.55**	183901-166 **193.15**	1	8	263
1-1/4X3/4	182901-167 **185.06**	183901-167 **199.53**	1	8	263
1-1/4X1	182901-168 **197.72**	183901-168 **219.42**	1	8	263
1-1/2X1/2	182901-209 **180.55**	183901-209 **193.17**	1	8	263
1-1/2X3/4	182901-210 **185.06**	183901-210 **199.53**	1	12	263
1-1/2X1	182901-211 **197.72**	183901-211 **219.42**	1	8	263
2X1/2	182901-247 **233.48**	183901-247 **246.17**	1	8	263
2X3/4	182901-248 **240.39**	183901-248 **254.80**	1	8	263
2X1	182901-249 **250.64**	183901-249 **272.35**	1	8	263
2X1-1/2	182901-251 **309.25**	183901-251 **336.34**	1	8	263
3X1/2	182901-333 **238.23**	183901-333 **250.85**	1	0	263
3X1	182901-335 **255.26**	183901-335 **276.96**	1	4	263
3X1-1/2	182901-337 **292.86**	183901-337 **319.97**	1	0	263
3X2	182901-338 **318.44**	183901-338 **368.92**	1	0	263
4X1	182901-417 **295.06**	183901-417 **316.75**	1	0	263
4X1-1/2	182901-419 **332.68**	183901-419 **359.77**	1	0	263
4X2	182901-420 **392.35**	183901-420 **442.83**	1	0	263
6X2	182901-528 **461.26**	183901-528 **511.75**	1	0	263
8X2	182901-578 **703.81**	183901-578 **754.31**	1	0	263

CPVC

Size	EPDM	FKM	Std Pk	Mstr Pk	Prod Code
Mainline Socket Tee x Valve Socket/Fipt					
1/2	182901-005C **251.47**	183901-005C **263.35**	1	12	264
3/4	182901-007C **274.80**	183901-007C **288.40**	1	8	264

CPVC (continued)

Size	EPDM	FKM	Std Pk	Mstr Pk	Prod Code
Mainline Socket Tee x Valve Socket/Fipt					
1	182901-010C **279.99**	183901-010C **300.41**	1	8	264
2	182901-020C **305.92**	183901-020C **353.36**	1	0	264
3/4X1/2	182901-101C **255.63**	183901-101C **267.48**	1	12	264
1X1/2	182901-130C **231.83**	183901-130C **277.07**	1	8	264
1X3/4	182901-131C **279.99**	183901-131C **293.61**	1	8	264
1-1/4X1/2	182901-166C **283.69**	183901-166C **295.58**	1	8	264
1-1/4X3/4	182901-167C **285.19**	183901-167C **298.78**	1	8	264
1-1/4X1	182901-168C **326.88**	183901-168C **347.29**	1	8	264
1-1/2X1/2	182901-209C **318.65**	183901-209C **329.88**	1	8	264
1-1/2X3/4	182901-210C **327.88**	183901-210C **335.95**	1	8	264
1-1/2X1	182901-211C **339.20**	183901-211C **347.29**	1	8	264
2X1/2	182901-247C **363.89**	183901-247C **375.75**	1	8	264
2X3/4	182901-248C **392.64**	183901-248C **406.24**	1	8	264
2X1	182901-249C **413.22**	183901-249C **433.63**	1	8	264
2X1-1/2	182901-251C **485.20**	183901-251C **510.64**	1	0	264
3X1/2	182901-333C **479.02**	183901-333C **490.88**	1	8	264
3X1	182901-335C **501.63**	183901-335C **522.04**	1	0	264
3X1-1/2	182901-337C **571.54**	183901-337C **596.99**	1	0	264
3X2	182901-338C **627.05**	183901-338C **674.49**	1	0	264
4X1	182901-417C **616.77**	183901-417C **637.18**	1	0	264
4X1-1/2	182901-419C **686.65**	183901-419C **712.13**	1	0	264
4X2	182901-420C **818.23**	183901-420C **865.67**	1	0	264
6X2	182901-528C **1068.74**	183901-528C **1116.17**	1	0	264
8X2	182901-578C **1576.85**	183901-578C **1624.31**	1	0	264

PVC Metric

Size	EPDM	FKM	Std Pk	Mstr Pk	Prod Code
Mainline Socket Tee x Valve Socket/Fipt					
20	182901M-020 **163.19**	183901M-020 **175.80**	1	8	263
25	182901M-025 **178.35**	183901M-025 **192.79**	1	8	263
32	182901M-032 **181.71**	183901M-032 **203.39**	1	8	263
40	182901M-040 **252.48**	183901M-040 **270.74**	1	8	263

Tee-Style "Zero Dead-Leg" Ball Valves & True Union 2000 Standard Ball Valves

Tee-Style "Zero Dead-Leg" Ball Valves

PVC Metric (continued)

Size	EPDM	FKM	Std Pk	Mstr Pk	Prod Code
Mainline Socket Tee x Valve Socket/Fipt					
50	182901M-050 **264.35**	183901M-050 **342.67**	1	8	263
63	182901M-063 **301.16**	183901M-063 **351.61**	1	8	263

CPVC Metric

Size	EPDM	FKM	Std Pk	Mstr Pk	Prod Code
Mainline Socket Tee x Valve Socket/Fipt					
20	182901M-020C **251.47**	183901M-020C **263.35**	1	8	264

CPVC Metric (continued)

Size	EPDM	FKM	Std Pk	Mstr Pk	Prod Code
Mainline Socket Tee x Valve Socket/Fipt					
25	182901M-025C **292.34**	183901M-025C **288.40**	1	8	263
32	182901M-032C **279.99**	183901M-032C **300.41**	1	8	264
40	182901M-040C **283.87**	183901M-040C **302.98**	1	8	264
50	182901M-050C **288.93**	183901M-050C **340.43**	1	8	264
63	182901M-063C **305.92**	183901M-063C **353.36**	1	8	264

True Union 2000 Standard Ball Valves



Socket Style

Pressure Rating @ 73°F (23°C), Water
1/2" - 2" = 235 psi
2-1/2" - 4" = 150 psi
Flanged = 150 psi

Maximum Service Temperature
PVC = 140°F (60°C)
CPVC = 200°F (93°C)

Temperature/Pressure De-ratings Apply
All Valves Assembled with Silicone-Free, Water Soluble Lubricant
See Ball Valve Accessories & Repair Kits Section for Additional Options and Features

PVC Standard

Size	EPDM	FKM	Std Pk	Mstr Pk	Prod Code
Socket & Threaded Ends					
1/2	3629-005 **39.77**	3639-005 **44.23**	1	18	608
3/4	3629-007 **47.03**	3639-007 **52.32**	1	18	608
1	3629-010 **56.02**	3639-010 **62.40**	1	12	608
1-1/4	3629-012 **77.48**	3639-012 **98.91**	1	8	608
1-1/2	3629-015 **93.35**	3639-015 **103.62**	1	8	608
2	3629-020 **123.18**	3639-020 **135.62**	1	4	608
Socket Ends					
2-1/2	3622-025 **235.95**	3632-025 **320.80**	1	0	609
3	3622-030 **312.14**	3632-030 **346.81**	1	0	609
4	3622-040 **527.23**	3632-040 **586.01**	1	0	609
Threaded Ends					
2-1/2	3621-025 **235.95**	3631-025 **320.80**	1	0	609
3	3621-030 **312.14**	3631-030 **346.81**	1	0	609
4	3621-040 **527.23**	3631-040 **586.01**	1	0	609
SR Threaded Ends					
1/2	3621-005SR **40.63**	3631-005SR **45.08**	1	18	608
3/4	3621-007SR **49.06**	3631-007SR **54.39**	1	18	608
1	3621-010SR **58.06**	3631-010SR **64.44**	1	18	608
1-1/4	3621-012SR **83.67**	3631-012SR **105.08**	1	12	608

PVC Standard (continued)

Size	EPDM	FKM	Std Pk	Mstr Pk	Prod Code
SR Threaded Ends					
1-1/2	3621-015SR **99.98**	3631-015SR **110.24**	1	8	608
2	3621-020SR **130.35**	3631-020SR **142.81**	1	8	608
2-1/2	3621-025SR **256.11**	3631-025SR **340.14**	1	0	609
3	3621-030SR **331.52**	3631-030SR **366.17**	1	0	609
4	3621-040SR **550.00**	3631-040SR **608.60**	1	0	609
Spigot Ends					
1/2	3627-005 **39.77**	3637-005 **44.23**	1	18	608
3/4	3627-007 **47.03**	3637-007 **52.32**	1	18	608
1	3627-010 **56.02**	3637-010 **62.40**	1	12	608
1-1/4	3627-012 **77.48**	3637-012 **98.91**	1	12	608
1-1/2	3627-015 **93.35**	3637-015 **103.62**	1	8	608
2	3627-020 **123.18**	3637-020 **135.62**	1	8	608
2-1/2	3627-025 **236.74**	3637-025 **320.80**	1	0	609
3	3627-030 **312.14**	3637-030 **346.81**	1	0	609
4	3627-040 **527.23**	3637-040 **586.01**	1	0	609
Flanged Ends					
1/2	3623-005 **56.87**	3633-005 **60.65**	1	8	608
3/4	3623-007 **72.05**	3633-007 **78.36**	1	8	608
1	3623-010 **87.18**	3633-010 **93.75**	1	8	608
1-1/4	3623-012 **102.35**	3633-012 **113.76**	1	4	608

Suitable for Oil-Free air handling to 25 psi, not for distribution of compressed air or gas

Due to Material Cost Variations, Prices Subject to Change. Check On-line Catalog @ www.spearsmfg.com

True Union 2000 Standard Ball Valves

PVC Standard (continued)

Size	EPDM	FKM	Std Pk	Mstr Pk	Prod Code
Flanged Ends					
1-1/2	3623-015 **128.93**	3633-015 **140.29**	1	4	608
2	3623-020 **205.28**	3633-020 **217.74**	1	0	608
2-1/2	3623-025 **379.14**	3633-025 **385.41**	1	0	609
3	3623-030 **392.87**	3633-030 **520.28**	1	0	609
4	3623-040 **842.57**	3633-040 **976.66**	1	0	609

PVC White Standard

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	Price Each
Socket EPDM					
3622-015W	**1-1/2**	1	8	608	93.35
3622-020W	**2**	1	8	608	123.18

PVC White Standard

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	Price Each
SR Threaded Ends EPDM					
3621-015WSR	**1-1/2**	1	8	608	99.98
3621-020WSR	**2**	1	8	608	130.35

CPVC Standard

Size	EPDM	FKM	Std Pk	Mstr Pk	Prod Code
Socket & Threaded Ends					
1/2	3629-005C **52.48**	3639-005C **58.36**	1	18	610
3/4	3629-007C **66.13**	3639-007C **73.49**	1	18	610
1	3629-010C **78.73**	3639-010C **87.47**	1	12	610
1-1/4	3629-012C **125.16**	3639-012C **139.11**	1	8	610
1-1/2	3629-015C **132.16**	3639-015C **146.85**	1	8	610
2	3629-020C **176.78**	3639-020C **203.21**	1	4	610
Socket Ends					
2-1/2	3622-025C **396.31**	3632-025C **440.32**	1	0	611
3	3622-030C **463.39**	3632-030C **514.91**	1	0	611
4	3622-040C **839.66**	3632-040C **932.96**	1	0	611
Threaded Ends					
2-1/2	3621-025C **396.31**	3631-025C **440.32**	1	0	611
3	3621-030C **463.39**	3631-030C **514.91**	1	0	611
4	3621-040C **839.66**	3631-040C **932.96**	1	0	611
SR Threaded Ends					
1/2	3621-005CSR **53.34**	3631-005CSR **59.19**	1	18	610
3/4	3621-007CSR **68.21**	3631-007CSR **75.56**	1	18	610
1	3621-010CSR **80.77**	3631-010CSR **89.48**	1	18	610
1-1/4	3621-012CSR **131.34**	3631-012CSR **145.26**	1	12	610
1-1/2	3621-015CSR **138.17**	3631-015CSR **153.47**	1	8	610
2	3621-020CSR **183.94**	3631-020CSR **210.39**	1	8	610
2-1/2	3621-025CSR **415.65**	3631-025CSR **459.67**	1	0	611
3	3621-030CSR **482.73**	3631-030CSR **534.25**	1	0	611

CPVC Standard (continued)

Size	EPDM	FKM	Std Pk	Mstr Pk	Prod Code
SR Threaded Ends					
4	3621-040CSR **862.26**	3631-040CSR **956.28**	1	0	611
Spigot Ends					
1/2	3627-005C **52.48**	3637-005C **58.36**	1	18	610
3/4	3627-007C **66.13**	3637-007C **73.49**	1	18	610
1	3627-010C **78.73**	3637-010C **87.47**	1	12	610
1-1/4	3627-012C **125.16**	3637-012C **139.11**	1	12	610
1-1/2	3627-015C **132.16**	3637-015C **146.85**	1	8	610
2	3627-020C **176.78**	3637-020C **203.21**	1	8	610
2-1/2	3627-025C **396.31**	3637-025C **440.32**	1	0	611
3	3627-030C **463.39**	3637-030C **514.91**	1	0	611
4	3627-040C **839.66**	3637-040C **932.96**	1	0	611
Flanged Ends					
1/2	3623-005C **89.08**	3633-005C **91.01**	1	8	610
3/4	3623-007C **109.19**	3633-007C **113.80**	1	8	610
1	3623-010C **125.01**	3633-010C **132.71**	1	8	610
1-1/4	3623-012C **186.79**	3633-012C **193.34**	1	4	610
1-1/2	3623-015C **205.47**	3633-015C **212.31**	1	4	610
2	3623-020C **285.91**	3633-020C **340.49**	1	0	610
2-1/2	3623-025C **533.62**	3633-025C **640.52**	1	0	611
3	3623-030C **731.60**	3633-030C **798.18**	1	0	611
4	3623-040C **1368.66**	3633-040C **1423.40**	1	0	611

Valves

True Union 2000 Industrial Retrofit Ball Valves - Replaces Other Brand Valves




Industrial Valve

Complete universal replacement valve for domestic and import PVC or CPVC valve. See separate catalog listing for retrofit replacement of older Spears® valves.

Retrofit valve consists of Spears® Industrial True Union 2000 Ball Valve supplied with factory installed extended-socket end connectors. Simply cut out old valve to specified dimensions and install Retrofit Valve end connectors.

Pressure Rating @ 73°F (23°C), Water
1/2" - 4" = 235 psi
All Valves Assembled with Silicone-Free, Water Soluble Lubricant
Suitable for Vacuum Service
Retrofit End Connector Sets without valve are also available - See Ball Valve Accessories & Repair Kits



Size	1/2	3/4	1	1-1/4	1-1/2	2	2-1/2	3	4
L	4-29/32	5-7/16	6-3/32	7-1/4	7-1/2	8-17/32	10-3/4	11-7/16	14-15/16

PVC - Socket Ends

Size	EPDM	FKM	Std Pk	Mstr Pk	Prod Code